

# Series MI/MIH

Gas-Fired

**Type:** Residential  
**Construction:** Cast Iron  
**Fuel:** Gas-Fired (MI - Natural or LP; MIH - Natural)  
**Input:** 65 to 260 MBH  
**Output:** 54 to 211 MBH Gross  
**Venting:** Natural Draft  
**Trim:** Water  
**Ignition:** MI - Standing Pilot or Intermittent;  
 MIH - Intermittent



HI Division  
of gama



ASME



- Packaged Residential Hot Water Boilers
- Natural or LP Gas
- Natural Draft (Chimney) Venting
- Standing Pilot or Intermittent Ignition
- Low Profile Design
- Steel Push Nipples

## Series MI/MIH Boiler Ratings

Boiler Model Number		Input MBH		DOE Heating Capacity MBH <sup>3</sup>		Net I=B=R Ratings Water MBH <sup>1,2</sup>		Std. Pilot w/Damper Seasonal Efficiency (AFUE) <sup>3</sup>		Inter. Ign. w/Damper Seasonal Efficiency (AFUE) <sup>3</sup>		Water Content (Gallons)
MI	MIH	MI	MIH	MI	MIH	MI	MIH	MI	MIH	MI	MIH	
MI-03	MIH-03	70.0	65.0	58	54	50	47	80.2%	N/A	82.2%	83.2%	4.72
MI-04	MIH-04	105.0	97.5	86	81	75	70	80.2%	N/A	82.1%	83.1%	6.00
MI-05	MIH-05	140.0	130.0	115	108	100	94	80.2%	N/A	82.0%	83.0%	7.28
MI-06	MIH-06	175.0	162.5	143	135	124	117	80.3%	N/A	82.0%	83.0%	8.56
MI-07	N/A	195.0	N/A	160	N/A	139	N/A	80.5%	N/A	82.0%	N/A	9.84
MI-08	N/A	227.5	N/A	186	N/A	162	N/A	80.3%	N/A	82.0%	N/A	11.12
MI-09	N/A	260.0	N/A	211	N/A	183	N/A	80.1%	N/A	82.0%	N/A	12.40

<sup>1</sup> Net I=B=R water ratings based on an allowance of 1.15.

<sup>2</sup> Consult factory before selecting a boiler for installations having unusual piping and pickup requirements, such as intermittent system operation, extensive piping systems, etc.

<sup>3</sup> Heating Capacity and Annual Fuel Utilization Efficiency (AFUE) ratings are based on U.S. Government test. Before purchasing this appliance, read important information about its estimated annual energy consumption or energy efficiency rating that is available from your retailer.